



# Crohn's disease adult – change, recommencement or demonstration of response authority application

When to use this form	
When to use this form	Use this form to apply for <b>changing</b> or <b>recommencing</b> PBS-subsidised biological medicines for patients 18 years or over with severe Crohn's disease.
	This form can also be used for <b>demonstrating a response</b> to the current PBS-subsidised treatment before temporarily stopping treatment.
Important information	Authority applications must be in writing and must include sufficient information to determine the patient's eligibility according to the PBS criteria.
	Applications for <b>balance of supply</b> can be made in real time using the <b>Online PBS Authorities</b> system or by phone. Call 1800 700 270 Monday to Friday, 8 am to 5 pm, local time.
	Under no circumstances will phone approvals be granted for severe Crohn's disease <b>change</b> or <b>recommencement</b> authority applications.
	Where the term 'biological medicine' appears, it refers to adalimumab, infliximab, upadacitinib, ustekinumab or vedolizumab.
	The information in this form is correct at the time of publishing and may be subject to change.
Continuing treatment	This form is ONLY for <b>changing</b> or <b>recommencing</b> treatment or <b>demonstrating a response</b> to treatment before temporarily stopping treatment.
	After a written authority application for <b>first continuing</b> treatment has been approved, <b>subsequent continuing</b> treatments with PBS-subsidised biosimilar brands of biological medicines are <b>Authority Required (STREAMLINED)</b> and do not require authority approval from Services Australia for the listed quantity and repeats.
Section 100 arrangements	These items are available to a patient who is attending:
for infliximab i.v.,	• an approved private hospital, <b>or</b>
vedolizumab i.v. and	a public hospital
ustekinumab i.v.	and is a:
	day admitted patient
	non-admitted patient, or
	patient on discharge.
	These items are not available as a PBS benefit for in-patients of a public hospital.
	The hospital name and provider number must be included in this authority form.
Treatment specifics	The assessment of the patient's response to the course of treatment must be conducted within the time frame specified in the restriction. Where an assessment is not conducted within the required time frame, the patient will be deemed to have failed treatment with that particular PBS-subsidised biological medicine.
	A patient who has experienced a serious adverse reaction of a severity necessitating permanent treatment withdrawal is not considered to have failed treatment with that PBS-subsidised biological medicine.
For more information	Go to servicesaustralia.gov.au/healthprofessionals



PBS

# Crohn's disease adult – change, recommencement or demonstration of response authority application

Pa	tient's details	Hospital details
1	Medicare card number       Image: Medicare card number       Image: Medicare card number       Or       Department of Veterone' Affeire card number	9 Hospital name This hospital is a: public hospital
2	Department of Veterans' Affairs card number	private hospital     private hospital     Hospital provider number     Conditions and criteria
	First given name	To qualify for PBS authority approval, the following conditions must be met.
3 4	Date of birth (DD MM YYYY)	<ul> <li>The patient is being treated by a:</li> <li>gastroenterologist</li> <li>consultant physician specialising in gastroenterology</li> </ul>
5	kg Patient's height	(either internal medicine or general medicine). <b>12</b> Most recent biological medicine
Pro	escriber's details	Dates of the most recent treatment course From (DD MM YYYY)
6	Prescriber number	To (DD MM YYYY)
7	Dr Mr Mrs Miss Ms Other	
8	Business phone number (including area code)          Alternative phone number (including area code)	



<b>13</b> This application is for:	<b>15</b> The patient:
adalimumab	is changing PBS-subsidised biological treatment for this
infliximab i.v.	condition after a break < 5 years (including <b>no break</b> )
upadacitinib	and
ustekinumab i.v.	will be submitting a new baseline
vedolizumab i.v.	or
vedolizumab s.c. with i.v. loading	will be using the previous baseline
(and an authority prescription for at least 2 i.v. doses at	Go to
weeks 0 and 2 is attached)	or
Go to 15	is <b>recommencing</b> PBS-subsidised biological medicine treatment for this condition after a break <b>&lt; 5 years</b> :
infliximab s.c. with i.v. loading	
or demonstrating a response to the current PBS-subsidised	the demonstration of response from the time of cessation is provided with this application
treatment before temporarily stopping treatment with this	or
biological medicine.	the demonstration of response was submitted to
Demonstration of response can be	Services Australia at the time of treatment cessation
submitted when recommencing treatment.	and
	will be submitting a new baseline
14 The patient is:	Or
<b>changing</b> from an alternate PBS-subsidised biological	will be using the previous baseline
medicine, and an authority prescription for at least 2 i.v. doses of infliximab at weeks 0 and 2 is attached	Go to
	or
or recommencing PBS-subsidised infliximab after a	is <b>recommencing</b> PBS-subsidised biological treatment for
treatment break, and an authority prescription for 1 i.v.	this condition after a break > 5 years
dose of infliximab at week 0 is attached.	and
	has confirmed severe Crohn disease, defined by
	standard clinical, endoscopic and/or imaging feature including histological evidence, with the diagnosis
	confirmed by a gastroenterologist or a consultant
	physician.
	and
	has received prior PBS-subsidised treatment with a
	biological medicine for this condition
	and
	has had a break in treatment of 5 years or more from the most recently approved PBS-subsidised biologica
	medicine for this condition
	and
	will be submitting a new baseline
	Go to

baseline baseline Go to 16 lised biological medicine er a break < 5 years: onse from the time of this application response was submitted to the time of treatment baseline vious baseline Go to 16 lised biological treatment for 5 years hn disease, defined by pic and/or imaging features, lence, with the diagnosis erologist or a consultant bsidised treatment with a is condition ent of 5 years or more from ed PBS-subsidised biological n baseline

Go to 19

### 16 The patient:

has received prior PBS-subsidised treatment with a biological medicine for this condition in this treatment cycle

#### and

has not failed, or ceased to respond to, PBS-subsidised treatment with this drug (the biological medicine this application is for) for this condition during the current treatment cycle

## and

has not failed, or ceased to respond to, PBS-subsidised treatment with 3 biological medicines for this condition within this treatment cycle

### or

has failed, or ceased to respond to, PBS-subsidised treatment with 3 biological medicines for this condition within this treatment cycle (if prescribing a newly listed biological medicine).

### 17 The patient:

has **failed** to demonstrate or sustain a response to the most recent PBS-subsidised biological medicine

#### or

has experienced a **serious adverse reaction** of a severity necessitating permanent withdrawal of the most recent PBS-subsidised biological medicine.

Provide details of treatment and adverse reaction.


## or

has **demonstrated or sustained an adequate response** to the most recent PBS-subsidised biological medicine.

If the patient is demonstrating a response	Go to 18
If the patient is providing a new baseline	Go to 19
If the patient is not demonstrating a response and is not providing a new baseline	Go to 21

# For a patient demonstrating a response (to current or previous biological medicine)

The response assessment should be conducted while still on treatment, but <b>no later than 4 weeks</b> following cessation of treatment.	
<b>18</b> The patient has demonstrated an adequate response to treatment evidenced by:	
a reduction in the Crohn's Disease Activity Index (CDAI) score $\leq$ 150 if assessed by CDAI or if affected by extens small intestine disease	sive
CDAI score	
Date of assessment (DD MM YYYY)	
or	
an improvement of intestinal inflammation as demonstr by at least one of the following:	ated
blood: normalisation of platelet count	
erythrocyte sedimentation rate (ESR) $\leq$ 25 mm/hr	
C-reactive protein (CRP) $\leq$ 15 mg/L	
faeces: normalisation of lactoferrin or calprotectin	evel
evidence of mucosal healing, as demonstrated by diagnostic imaging findings, compared to the base assessment	line
or	
reversal of high faecal output state	
Date of assessment (DD MM YYYY)	
or	
avoidance of the need for surgery or total parenteral	
nutrition (TPN) if affected by short gut syndrome, extens small intestine disease or is an ostomy patient.	sive
Date of assessment (DD MM YYYY)	
• Go t	ta 21

For a patient submitting a new baseline	<b>20</b> The patient has:
<b>19</b> The patient:	been clinically assessed as being in a high faecal output state
has a Crohn's Disease Activity Index (CDAI) score > 300 CDAI score Date of assessment (no more than 4 weeks old) (DD MM )2000	Provide the date of the most recent clinical assessment (DD MM YYYY)
(DD MM YYYY)	or been clinically assessed as requiring surgery or total parenteral nutrition (TPN) as the next therapeutic option in absence of this drug, if affected by short gut syndrome, extensive small intestine disease or is an ostomy patient
has extensive intestinal inflammation affecting > 50 cm of the small intestine as evidenced by documented history and radiological evidence and	Provide the date of the most recent clinical assessment (DD MM YYYY)
has a CDAI score ≥ 220	or
CDAI score	evidence of intestinal inflammation demonstrated by at least one of the following:
Date of assessment (no more than 4 weeks old) (DD MM YYYY)	<ul> <li>higher than normal platelet count</li> <li>an elevated erythrocyte sedimentation rate (ESR)</li> <li>&gt; 25 mm/hr</li> </ul>
and	a C-reactive protein (CRP) > 15 mg/L
a copy of the completed CDAI calculation sheet is attached	a higher than normal lactoferrin or calprotectin level in faeces
Go to 20     or     has diagnostic imaging or surgical evidence of short gut     aundrame or has had an ilegatomy or selectomy	diagnostic imaging of increased uptake of intravenous contrast with thickening of the bowel wall or mesenteric lymphadenopathy or fat streaking in the mesentery.
syndrome or has had an ileostomy or colostomy and has documented history of intestinal inflammation.	Provide pathology reports or diagnostic imaging.
Go to 20	Checklist
	21 The relevant attachments need to be provided with

Privacy notice
22 Personal information is protected by law (including the *Privacy Act 1988*) and is collected by Services Australia for the

The relevant pathology reports, diagnostic imaging test(s) and/or the completed Adult Crohn's Disease Activity Index

this form.

calculation sheet.

Details of the proposed prescription(s).

purposes of assessing and processing this authority application. Personal information may be used by Services Australia, or given to other parties where the individual has agreed to this, or where it is required or authorised by law (including for the purpose of research or conducting investigations).

More information about the way in which Services Australia manages personal information, including our privacy policy, can be found at **servicesaustralia.gov.au/privacypolicy** 

# Prescriber's declaration

You do not need to **sign** the declaration if you complete this form using Adobe Acrobat Reader and return this form through Health Professional Online Services (HPOS) at **servicesaustralia.gov.au/hpos** 

### 23 I declare that:

- I am aware that this patient must meet the criteria listed in the current Schedule of Pharmaceutical Benefits to be eligible for this medicine.
- I have informed the patient their personal information (including health information) will be disclosed to Services Australia for the purposes of assessing and processing this authority application.
- I have provided details of the proposed prescription(s) and the relevant attachments as specified in the Pharmaceutical Benefits Scheme restriction.
- the information I have provided in this form is complete and correct.

#### I understand that:

• giving false or misleading information is a serious offence.

I have read, understood and agree to the above.

Date (DD MM YYYY) (you must date this declaration)



Prescriber's signature (only required if returning by post)

Æ1

# **Returning this form**

Return this form, details of the proposed prescription(s) and any relevant attachments:

- online (no signature required), upload through HPOS at servicesaustralia.gov.au/hpos
   or
  - .
- by post (signature required) to

Services Australia Complex Drugs Programs Reply Paid 9826 HOBART TAS 7001



 $\square$ 

# medicare

PBS

# Adult Crohn's Disease Activity Index

Week ending (DD MM YYYY) Each parameter in this table must be assigr	ned a value.						Factor	Subtotal
Liquid stools (cumulative total over the last 7 days)	i stools Number of liquid or soft stools over the last 7 days					sum =	x 2	
Abdominal pain † (cumulative total over the last 7 days)		Daily as	sessment	t†		sum =	x 5	
General well being ‡ (cumulative total over the last 7 days)		Daily as	sessment	t‡		sum =	x 7	
Extra-intestinal	•							
Arthritis/arthralgia			-	e = 0 $s = 1$		score =	x 20	
lritis/uveitis			Non	e = 0 s = 1		score =	x 20	
Skin/mouth lesions			Non	$\frac{b = 1}{b = 0}$ $s = 1$		score =	x 20	
Peri-anal disease			Non	$\frac{3-1}{6=0}$ $s=1$		score =	x 20	
Other fistula			Non	e = 0 s = 1		score =	x 20	
Fever > 37.8°C			Non	$\frac{s-1}{s=0}$ $\frac{s=1}{s=1}$		score =	x 20	
Anti-diarrhoeals				e = 0 $s = 1$		score =	x 30	
Abdominal mass		Qu	Non Iestionabl Definit			score =	x 10	
Haamataarit (Hat)	Males (47 - Hct) Females (42 - Hct)					score =	x 6	
Haematocrit (Hct)						score =	x 6	
Weight	Standard kg Current kg					kg	current	
(Maximum deduction of -10 for overweight patients)						kg	100 x ( 1 standard )	

TOTAL CDAI SCORE

t	None = 0						
Abdominal	Intermediate = 1 or 2						
pain	Severe = 3						
<b>‡</b>	Well = 0						
General well	Intermediate = 1, 2 or 3						
being	Terrible = 4						

I